

DAFTAR PUSTAKA

1. Kementerian Kesehatan RI. Buletin Kanker. Jakarta: Kementerian Kesehatan Republik Indonesia; 2015.
2. IARC. Latest Global Cancer Data. World Health Organization. Geneva; 2018.
3. Nurwijaya H. Kanker Serviks. Jakarta: Elex Media Komputindo; 2010.
4. Chabner BA. Timeline: chemotherapy and the war on cancer. *Nat Rev Cancer*. 2006;25(1):65–72.
5. Lu Y, Mahato RI. Pharmaceutical perspectives of cancer therapeutics. *Pharm Perspect Cancer Ther*. 2009;1–693.
6. Caltech Environment H and S. Guidelines for the Use of Cytotoxic or Chemotherapeutic Drugs. In Caltech; 2011.
7. Zhang H, Zhao Z, Wang H. Cytotoxic natural products from marine sponge-derived microorganisms. *Mar Drugs*. 2017;15(3).
8. Handayani D, Yulia M, Allen Y. Komunikasi ringkas isolasi senyawa sitotoksik dari spons laut *Petrosia* sp. *JPB Perikan*. 2012;7(1):69–76.
9. Shakeri A, Sahebkar A. Anti-cancer products from marine sponges: progress and promise. *Recent Pat Drug Deliv Formul*. 2015;9(3):187–8.
10. Suparno. Kajian Bioaktif Spons Laut (Porifera: Demospongiae) Suatu Peluang Alternatif Pemanfaatan Ekosistem Karang Indonesia Dalam Bidang Farmasi. Bogor; 2005.
11. Meenupriya J, Thangaraj M. Isolation and molecular characterization of bioactive secondary metabolites from *Callyspongia* sp. associated fungi. *Asian Pac J Trop Med*. 2010;3(9):738–40.
12. Chiu CW, Su HJ, Lu MC, Wang WH, Sheu JH, Su JH. Cytotoxic polyacetylenes from a formosan marine sponge *Callyspongia* sp. *Bull Chem Soc Jpn*. 2014;87(11):1231–4.
13. Amir I, Budiyanto A. Mengenal spons laut (demospongiae) secara umum. *Oseana*. 1996;XXI(2):15–31.
14. Nofiani R. Urgensi dan mekanisme biosintesis metabolit sekunder mikroba

- laut. J Natur Indones. 2008;10(2):120–5.
15. Kelly M. Phylum PORIFERA. In 2007.
 16. Cruickshank S. The online guide to the animals of trinidad and tobago. Ecology. 2016;3.
 17. Wikanta T, Gusmita D, Rahayu L, Marraskuranto E. Kajian awal bioaktivitas ekstrak etanol dan fraksinya dari spons *Callyspongia* sp. terhadap sel lestari tumor HeLa. JPB Perikan. 2012;7(1):1–10.
 18. Hanani E, Mun A, Sekarini R. Identifikasi senyawa antioksidan dalam spons *Callyspongia* sp. dari kepulauan seribu. Maj Ilmu Kefarmasian. 2005;II(3):127–33.
 19. Warbung YY, Wowor VNS, Posangi J. Daya Hambat Ekstrak Spons Laut *Callyspongia* sp. terhadap Pertumbuhan Bakteri *Staphylococcus aureus*. Manado; 2013.
 20. Taylor MW, Radax R, Steger D, Wagner M. Sponge-associated microorganisms: evolution, ecology, and biotechnological potential. Microbiol Mol Biol Rev. 2007;71(2):295–347.
 21. Ding B, Yin Y, Zhang F, Li Z. Recovery and phylogenetic diversity of culturable fungi associated with marine sponges *Clathrina luteoculcitella* and *Holoxea* sp. in the south china sea. Mar Biotechnol. 2011;13(4):713–21.
 22. Indriani ID. Biodiversity of marine-derived fungi and identification of their metabolites. der Heinrich-Heine-Universität Düsseldorf; 2007.
 23. Henríquez M, Vergara K, Norambuena J, Beiza A, Maza F, Ubilla P, et al. Diversity of cultivable fungi associated with Antarctic marine sponges and screening for their antimicrobial, antitumoral and antioxidant potential. World J Microbiol Biotechnol. 2014;30(1):65–76.
 24. Thomas TRA, Kavlekar DP, LokaBharathi PA. Marine drugs from sponge-microbe association - A review. Mar Drugs. 2010;8(4):1417–68.
 25. Pratiwi ST. Mikrobiologi Farmasi. Yogyakarta: Erlangga; 2008.
 26. Lestari MS, Himawan T, Abadi AL, Retnowati R. Research Article Toxicity and phytochemistry test of methanol extract of several plants from papua using Brine Shrimp Lethality Test (BSLT). J Chem Pharm Res. 2015;7(4):866–72.
 27. Solis PN, Wright CW, Anderson MM, Gupta MP, Phillipson JD. A microwell cytotoxicity assay using *Artemia salina* (Brine Shrimp). Planta

Med. 1993;59:250–2.

28. Carballo JL, Hernandez-Indra ZL, Perez P, Garcia-Gravalos MD. A comparison between two brine shrimp assays to detect in vitro cytotoxicity in marine natura products. BMC Biotechnol. 2002;2(17).
29. Dumitrascu M. *Artemia salina*. Balneo-Research J. 2011;2(4):119–22.
30. Harborne JB. Phytochemical Methods. second edi. London: Chapman and Hall Ltd; 1984.
31. Randhawa MA. Calculation of ld50 values from the method of miller and tainter. J Ayub Med Collage Abbottabad. 2011;21(3):184–5.
32. Departemen Kesehatan Republik Indonesia. Farmakope Indonesia. Edisi III. Jakarta: Departemen Kesehatan Republik Indonesia; 1979.
33. Arambasi MB & Randhawa MA. Comparison of the methods of finney and miller- tainter for the calculation of ld50 values. J World Appl. 2014;32(10):2167–70.
34. Dewi D. Prosedur Tetap Uji Sitotoksik Metode MTT. In: Cancer Chemoprevention Research Center. Yogyakarta: Fakultas Farmasi UGM; 2012. p. 2.
35. Winarno E. Uji Sitotoksik Ekstrak Kapang *Aspergillus* sp. Terhadap Sel Kanker Payudara T476. Universitas Indonesi; 2011.
36. Kjer J, Debbab A, Aly AH, Proksch P. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. Nat Protoc. 2010;5(3):479–90.
37. Handayani D, Artasasta MA. Antibacterial and cytotoxic activities screening of symbiotic fungi extract isolated from marine sponge *Neopetrosia chaliniformis* AR-01. J Appl Pharm Sci. 2017;7(5):66–9.
38. Bhandary SK, N SK, Bhat VS, Sharmila KP, Bekal MP. Preliminary phytochemical screening of various extract of *Punica granatum* peel whole fruit and seeds. Nitte Univ J Heal Sci. 2012;2(4):34–8.
39. Meyer BN; Ferrigni NR; Putnam JE; Jacobsen LB; Nichols DE; Mclaughlin JL. Brine shrimp: a convenient general bioassay for active plant constituents. Planta Med. 1982;45:31–4.
40. Randhawa MA. Calculation of ld50 values from the method of Miller and Tainter. Ayub Med Coll Abbottabad. 2009;21(3):184–5.
41. Acumedia. Sabouraud dextrose agar w/ chloramphenicol (7306). United

State: Acumedia Manufacture; 2017.

42. Madison J. Antibacterial Drugs. Second Edi. Small Animal Clinical Pharmacology. United Kingdom: Elsevier Ltd; 2008. 594 p.
43. Sahayaraj K, Namasivayam SKR. Mass production of entomopathogenic fungi using agricultural products and by products. African J Biotechnol. 2016;7(12):1907–10.
44. Grant WD, Long PE. Environmental microbiology. Handb Environ Chem. 1985;1(February):125–237.
45. Ginting RCBB. Keragaman cendawan endofit yang diisolasi dari berbagai spesies tanaman obat potensial. Institut Pertanian Bogor; 2013.
46. Bacteria, protists, and fungi. In: Science Journal. United State: msscience; 2012. p. 345–71.
47. Aini N, Rahayu T. Media alternatif untuk pertumbuhan jamur menggunakan sumber karbohidrat yang berbeda alternatif media. 2015;861–6.
48. Wowor MP, Bara R. Uji efek antibakteri jamur endosimbion spons laut *Callyspongia* sp. terhadap bakteri *Pseudomonas aeruginosa* dan *Eschericia coli*. J e-Biomedik. 2015;3(1):376–80.
49. Meenupriya J, Thangaraj M. Isolation and molecular characterization of bioactive secondary metabolites from *Callyspongia* sp. associated fungi. 2010;7645(October):10–3.
50. Konig GM, Draeger S, Wright AD, Matthe GF. Fungi from marine sponges : diversity , biological activity and secondary metabolites. Mycol Res. 2000;104(November):1354–65.
51. Basu S, Bose C, Ojha N, Das N, Das J, Pal M. Evolution of bacterial and fungal growth media. Biomed Informatics. 2015;11(4):2–4.
52. Leaflet PI. Carbohydrate counting tables review. In Brierley Hill Health and Social Care Centre; 2012.
53. Production M. Ecophysiology of ochratoxigenic moulds. Ecophysiol ochratoxigenic Mould. 1989;243–50.
54. Shaala LA, Youssef DTA, Ibrahim SRM, Mohamed GA. Callyptide A, a new cytotoxic peptide from the Red Sea marine sponge *Callyspongia* species. Nat Prod Res. 2016;30(24):2783–90.
55. Kapojos MM, Abdjul DB, Yamazaki H, Ohshiro T, Rotinsulu H,

- Wewengkang DS, et al. Callyspongiamides A and B, sterol O-acyltransferase inhibitors, from the Indonesian marine sponge *Callyspongia* sp. *Bioorganic Med Chem Lett*. 2018;28(10):1911–4.
56. Maryati SE. Potensi sitotoksik tanaman ceplukan (*Physalis Angulata* L) terhadap sel hela. *Pharmacon*. 2007;8(1):1–6.
57. Dalimunthe CI, Sembiring YRVMA, Siregar TH, Darwis HS, Barus DA. Identifikasi dan uji metabolit sekunder bangun-bangun (*Coleus amboinicus*) terhadap penyakit jamur akar putih (*Rigidoporus microporus*) di laboratorium. *J Penelit Karet*. 2016;34(2):189–200.
58. Ruiz-Torres V, Encinar JA, Herranz-López M, Pérez-Sánchez A, Galiano V, Barrajón-Catalán E, et al. An updated review on marine anticancer compounds: The use of virtual screening for the discovery of small-molecule cancer drugs. *Molecules*. 2017;22(7).
59. Suryanarayanan TS. Mini review The diversity and importance of fungi associated with marine sponges. 2012;55(6):553–64.
60. Hasan S, Ansari MI, Ahmad A, Mishra M. Major bioactive metabolites from marine fungi : A Review. 2015;11(4).
61. Kim C, Ji T, Eom JB. Determination of organic compounds in water using dispersive liquid–liquid microextraction. *Meas Sci Technol*. 2018;29.
62. Folipastatin, a newdepsidone compound from *Aspergillus unguis* as an inhibitor of phospholipase A2. *J Antibiot (Tokyo)*. 1992;45(8):1195–201.
63. Liu S, Su M, Song SJ, Jung JH. Marine-derived *Penicillium* species as producers of cytotoxic metabolites. *Mar Drugs*. 2017;15(10):1–44.
64. Cary JW, Gilbert MK, Lebar MD, Majumdar R, Calvo AM. *Aspergillus flavus* secondary metabolites: more than just Aflatoxins. *Food Saf*. 2018;6(1):7–32.
65. Rank C, Klejnstrup ML, Petersen LM, Kildgaard S, Frisvad JC, Held Gotfredsen C, et al. Comparative chemistry of *Aspergillus oryzae* (RIB40) and *A. flavus* (NRRL 3357). *Metabolites*. 2012;2(1):39–56.
66. Liu L, Bao L, Wang L, Ma K, Han J, Yang Y, et al. Asperorydines A-M: prenylated tryptophan-derived alkaloids with neurotrophic effects from *Aspergillus oryzae*. *J Org Chem*. 2018;83(2):812–22.
67. Miao FP, Li XD, Liu XH, Cichewicz RH, Ji NY. Secondary metabolites from an algicolous *Aspergillus versicolor* strain. *Mar Drugs*. 2012;10(1):131–9.

68. Refai M. Monograph on the genus *Penicillium*. 2015;(March).
69. Gautam A. Characterization of *Aspergillus* species associated with commercially stored triphala powder. African J Biotechnol. 2013;11.
70. Raja HA, Miller AN, Pearce CJ, Oberlies NH. Fungal identification using molecular tools: a primer for the natural products research community. J Nat Prod. 2017;80(3):756–70.
71. Artasasta MA, Djamaan A, Handayani D. Cytotoxic activity screening of ethyl acetate fungal extracts derived from the marine sponge *Neopetrosia chaliniformis* AR-01. 2017;7(12):174–8.
72. Yarza P, Yilmaz P, Panzer K, Oliver F, Reich M. Marine genomics a phylogenetic framework for the kingdom Fungi based on 18S rRNA gene sequences. Mar Genomics. 2017;

